

Patient Name : Vinaya Venkata Sairam Vadlamuri
Lab Ref : 6354032775
Age/Sex/DOB : 26 / M / 1995-03-03
ID Num. : 9503036654188
Contact Nos : (C) 0847558876
Email : vinayvadlamuri@gmail.com

Lab Name : Central
Dr. Ref No. : UNIT 58 PACIFIC GARD
Spec No. : 1802:DS15775K
Collection Date : 08/06/22 0845
Receive Date : 08/06/22 1025
Report Date : 09/06/22 1634

Report for Doctor
 Dr Tsitsi Shenje
 Office 130 Spaces
 Gateway West Offices, magwa Cre
 Waterfall Midrand

Other Doctors
 Submit Dr : Dr Tsitsi Shenje

Guarantor Information
 Name : Mr Vinaya Vadlamuri
 Contact Nos : 0847558876
 Email :
 MedAid :

Tests: SARS-COV-2 RT-PCR

Molecular Infectious Diseases

SARS-CoV-2 Not detected

SARS-CoV-2 nucleic acid was not detected by means of a real-time reverse transcriptase polymerase chain reaction (RT-PCR) test.

A "Not Detected" (Negative) test result for this test means that SARS-CoV-2 RNA was not present in the specimen. However, it does not exclude the possibility of COVID-19 and should not be used as the sole basis for patient management decisions.

A false-negative result can be due to several factors including inadequate specimen collection, sampling too early or late in the course of infection, and clinical severity of disease.

Repeat testing is recommended only if clinically indicated.

Lancet Laboratories is an ISO 15189 accredited laboratory recognised by the South African government for COVID testing. This laboratory result constitutes a certificate for travel purposes.

For consultation by referring doctors only, please call:

Dr Allison Glass (011) 358 0800 Prof Eftyhia Vardas +2711 358 0800
 Dr Steven Miller (011) 358 0800 Dr Leana Maree +2711 358 0800



Scan to verify this result

Dr Mauff A.C. & Partners
trading as

LANCET LABORATORIES

Registered with the Medical Professional Council with
 Practice number : 052 000 520 1055
 Vat number : 4090 11 6050
www.lancet.co.za


LANCET LABORATORIES
Pathology & Diagnostic Services

2022-06-09